

Subject Index

A

Additional Hydraulic Structures, 1100
Adjustments to NOAA Atlas 2, 504
Adoption Authority (General Provisions), 101
Acronyms and Abbreviations, 105
Alluvial Fans (Development of), 1400
 Introduction, 1401
 Analysis Requirements, 1403
 Peninsula Development, 1404
 Additional Considerations, 1404
 Alluvial Fan Flood Protection Measures, 1405
 Whole Fan Protection, 1405
 Subdivision of Localized Protection, 1405
 Single Lot or Structure Protection, 1406
 Example Application, 1406
 Introduction, 1406
 Example Development, 1406
 Example Analysis, 1407
Alluvial Fans (Drainage Policy), 320
Anti-Dune Trough Depth, 718
Appurtenances, (Channel), 778
Aprons (Baff led-USBR Type IX), 1110
Assumptions (Storm Runoff), 610
Awards (Limitation of Tort Damage), 417

B

Bank Lined Channels, 713
Basin Characteristics (Storm Runoff), 603
Basin/Subbasin Sizing (Storm Runoff), 616
Bend Losses, 814
Bend Scour, 718
Bends, 768,772
Breach of Express/Implied Warranty, 409
Bridges, Culverts and, 319, 1000
 Bridges, Design Standards for, 1008
 Bridge Sizing Criteria, 1009
 Velocity Limitations, 1009
 Bridge Hydraulics, 1009
 Hydraulic Analysis, 1009
 Inlet and Outlet Configuration, 1009
 Example Application, 1009
 Example: Culvert Sizing, 1010

C

- Calculations Addendum (Hydrologic/Hydraulic), 212
- Calculations Exemption for a Technical Drainage Study, 212
- Channel Drops and Energy Dissipation Structures, 1102
 - Channel Drop Structures, 1103
 - Sloping Riprap Drop Structures, 1103
 - Criteria, 1103
- Channel Routing of Hydrographs, (Storm Runoff) 621
 - Kinematic Wave Method, 623
 - Muskingum-Cunge Method, 624
 - Muskingum Method, 621
- Channels (Open), 700
 - Introduction, 706
 - Open Channel Hydraulics, 706
 - Uniform Flow, 707
 - Uniform Critical Flow Analysis, 708
 - Gradually Varying Flow, 709
 - Rapidly Varying Flow, 710
 - Transitions, 710
 - Introduction, 710
 - Maximum Permissible Velocities, 711
 - Design Sections and Standards for Natural Channels, 712
 - Introduction, 712
 - Natural Unencroached Channels, 712
 - Natural Encroached Channels, 713
 - Bank Lined Channels, 713
 - Partially Lined Channels, 713
 - Natural Channel Systems 714
 - Natural Channel Morphology and Response, 715
 - Slope, 715
 - Degradation and Aggradation, 715
 - Anti-Dune Trough Depth, 718
 - Bend Scour, 718
 - Contraction Scour, 720
 - Local Scour, 723
 - Total Scour, 730
 - Scour Below Channel Drops, 730
 - Design Considerations, 732
 - Stable Channel, 732
 - Design Discharge, 732
 - Sediment Supply (Upstream Reach), 732
 - Bed Form Roughness, 733
 - Erodable Sediment Size, 734
 - Data Requirements, 735
 - Design Procedure, 736
 - Floodplain Management of Natural Channels, 737

- Design Sections and Standards for Improved Channels, 738
 - Introduction, 738
 - Permanent Unlined Channels, 739
 - Non-Reinforced Vegetation Lined Channels, 739
 - Design Parameters, 740
 - Longitudinal Channel Slopes, 740
 - Roughness Coefficient, 740
 - Cross Sections, 740
 - Low Flow Channel or Underground Low Flow Storm Drain, 740
 - Bottom Width, 740
 - Flow Depth, 741
 - Side Slopes, 741
 - Vegetation Lining, 741
 - Establishing Vegetation, 741
 - Riprap Lined Channels, 741
 - Types of Riprap, 742
 - Loose Riprap, 742
 - Grouted Riprap, 742
 - Riprap Material, 743
 - Bedding Requirements, 743
 - Granular Bedding, 743
 - Filter Fabrics, 744
 - Channel Linings, 745
 - Roughness Coefficients, 745
 - Rock Sizing and Lining Dimensions, 747
 - Edge Protection, 750
 - Channel Bend Protection, 750
 - Transitions Protection, 751
 - Concrete Cutoff Walls, 751
 - Gabion Lined Channels, 751
 - Soil-Cement, 752
 - General Parameters, 752
 - Design Parameters, 752
 - Code Requirements, 753
 - Mix Design, 753
 - Proportioning, 753
 - Testing, 753
 - Lining Section, 754
 - General, 754
 - Grade Control Structures, 754
 - Cross Drainage, 754
 - Stairstep Method, 755
 - Plating Method, 755

- Placement, 755
 - Subgrade Preparation, 755
 - Mixing, 755
 - Compaction, 756
 - Construction Joints, 756
 - Finishing, 756
- Curing and Cracking, 757
 - Curing, 757
 - Shrinkage Cracking, 757
- Concrete Lined Channels, 757
 - Design Parameters, 758
 - Code Requirements, 758
 - Concrete Lining Section, 758
 - Concrete Joints, 759
 - Concrete Finish, 760
 - Concrete Curing, 760
 - Reinforcement Steel, 760
 - Earthwork, 761
 - Bedding, 761
 - Underdrain and Weepholes, 761
 - Roughness Coefficients, 762
 - Low Flow Channel, 762
 - Concrete Cutoffs, 762
 - Minor Drainage Channels, 762
 - Special Consideration for Super-Critical Flow, 763
- Hot Weather Concreting Procedures, 763
 - General, 763
 - Preparation for Placing and Curing, 764
 - Construction Practices and Measures, 764
 - Curing, 764
 - General, 764
 - Water Method, 765
 - Other Channel Linings, 765
- Hydraulic Design Standards for Improved Channels, 766
 - Sub-Critical Flow Design Standards, 766
 - Transitions, 766
 - Transition Energy Loss, 767
 - Transition Length, 768
 - Bends, 768
 - Freeboard, 769
- Super-Critical Flow Design Standards, 769
 - Super-Critical Transitions, 769
 - Contracting Transitions, 770
 - Expanding Transitions, 772
 - Bends, 772
 - Spiral Transition Curves, 772
 - Freeboard, 773

- Super-Elevation, 773
- Slug Flow, 774
- Channel Appurtenances, 778
 - Low Flow Channel or Storm Drain, 778
 - Maintenance Access Road, 779
 - Safety Requirements, 781
 - Outlet Protection, 782
 - Configuration of Protection, 782
 - Rock Size, 782
 - Extent of Protection, 784
 - Multiple Conduits, 785
- Example Applications, 785
 - Example: Degradation and Aggradation, 785
 - Example: Super-Critical Contracting Transition, 792
- Civil Law Rule, 402, 404
- Clark County Public Works • County Policies (Local Entity Criteria), 1610
- CN Determination, 609
- Common Enemy Doctrine, 402
- Conceptual Drainage Study, 202
- Conceptual Drainage Study (Letter Contents), 203
- Construction Permits, 215
- Cross Flow, 903
- Culverts and Bridges (Drainage Policy), 319
- Culverts and Bridges, 1000
 - Introduction, 1002
 - Design Standards for Culverts, 1002
 - Culvert Sizing Criteria, 1002
 - Design Frequency, 1002
 - Allowable Cross Street Flow, 1003
 - Minimum Size, 1003
 - Construction Materials, 1003
 - Velocity Limitations and Outlet Protection, 1003
 - Headwater Criteria, 1004
 - Alignment, 1004
 - Temporary Crossing, 1005
 - Multiple Barrel Culverts, 1005
 - Culvert Hydraulics, 1005
 - Inlet Control Condition, 1006
 - Outlet Control Condition, 1006
 - Hydraulic Data, 1008
 - Inlet and Outlet Configuration, 1008
 - Structural Design, 1008
 - Design Standards for Bridges, 1008
 - Bridge Sizing Criteria, 1009
 - Velocity Limitations, 1009

- Bridge Hydraulics, 1009
 - Hydraulic Analysis, 1009
 - Inlet and Outlet Configuration, 1009
- Example Application, 1009
 - Culvert Sizing (Example), 1010

D

- Dam Safety, 1213
 - Damages (Punitive), 412
 - Debris Control Structures and Basin, 1302
 - Introduction, 1302
 - Debris Racks, 1303
 - Debris Risers, 1303
 - Debris Cribs, 1303
 - Debris Dams and Basins, 1304
 - Sizing of Control Structures and Basins, 1304
 - Sediment Sources, 1305
 - Types of Methods for Predicting Sediment Yield, 1305
 - The Universal Soil Loss Equation, 1306
 - The Modified Universal Soil Loss Equation, 1308
 - Total Sediment Yield, 1309
 - Siting of Control Structures and Basins, 1310
 - Debris (Sedimentation and), 904
 - Debris and Sedimentation, 1212
 - Trash Racks, 1212
 - Sedimentation, 1212
 - Depth-Area Reduction Factors, 504
 - Design Flow Rates, 1113
 - Design Guidelines and Standards (Detention/Retention), 1203
 - Design Sections and Standards for Natural Channels, 712
 - Design Sections and Standards for Improved Channels, 738
 - Design Standards and Considerations, 1213
 - Dam Safety, 1213
 - Grading Requirements, 1213
 - Depth Limits, 1213
 - Trickle Flow and Basin Dewatering, 1213
 - Embankment Protection, 1213
 - Maintenance Requirements, 1213
 - Local Detention Basin Siting Guidelines, 1214
 - Design Standards for Bridges, 1008
 - Design Standards for Culverts, 1002
 - Design Storms, 505
 - General (Rainfall), 505
 - Design Storm Distribution (6-Hour), 505
 - Design Storm Events, 315

- Detention, 1200
 - Introduction, 1202
 - Definition of Regional Facilities, 1202
 - Definition of Local Facilities, 1202
 - Local Minor Facilities, 1202
 - Local Major Facilities, 1202
 - Detention/Retention Design Guidelines and Standards, 1203
 - Regional Detention, 1203
 - Local Detention, 1204
 - Local Minor Detention, 1204
 - Local Major Detention, 1205
 - Local Minor Retention, 1205
 - Hydrologic Design Methods and Criteria, 1207
 - Inflow Hydrograph, 1207
 - HEC-1 Method, 1207
 - Modified Rational Method, 1207
 - Detention Basin Design Outflow Limitations, 1208
 - Regional Facilities, 1208
 - Local Facilities, 1208
 - Hydrologic Calculation Methods, 1208
 - HEC-1 Method, 1208
 - Rational Method, 1209
 - Hydraulic Calculations, 1209
 - Low Flow Outlets, 1209
 - Minimum Conduit Size, 1210
 - Flow Calculations, 1210
 - Spillways, 1211
 - Sizing Requirements, 1211
 - Flow Calculations, 1212
 - Debris and Sedimentation, 1212
 - Trash Racks, 1212
 - Sedimentation, 1212
 - Design Standards and Considerations, 1213
 - Dam Safety, 12 13
 - Grading Requirements, 1213
 - Depth Limits, 1213
 - Trickle Flow and Basin Dewatering, 1213
 - Embankment Protection, 1213
 - Maintenance Requirements, 1213
 - Local Detention Basin Siting Guidelines, 1214
 - Water Quality, 1214
 - USEPA Regulations, 1214
 - Example Applications, 1214
 - Example: Detention Pond Outlet Sizing, 1214
 - Example: Rational Formula Detention Method, 1216
- Discretionary Immunity (NRS 41.032), 415
- Drainage (Diversion of), 305

- Drainage Facilities Maintenance, 314
- Drainage impact on Street Maintenance, 904
 - Pavement Deterioration, 904
 - Sedimentation and Debris, 904
 - Landscaped Areas, 905
- Drainage Impacts on Streets, 901
 - Sheet Flow, 902
 - Gutter Flow, 902
 - Storm Duration, 903
 - Temporary Ponding, 903
 - Cross Flow, 903
 - Parking Lots and Driveways, 903
- Drainage (Improvements), 306
- Drainage Law, 400
 - Breach of Express/Implied Warranty, 409
 - Introduction, 401
 - Civil Law Rule, 402, 404
 - Common Enemy Doctrine, 402
 - Fraud/Misrepresentation, 409
 - Historical Evolution of Surface Water Drainage Law, 401
 - Inverse Condemnation - Eminent Domain, 418
 - Limitation of Tort Damage Awards, 417
 - Negligence, 408
 - Nevada Drainage Law, 403
 - NRS 41.032 - Discretionary Immunity, 415
 - NRS 41.033 - Failure to Inspect, 416
 - Nuisance, 411
 - Punitive Damages, 412
 - Reasonable Use Rule, 403, 405
 - Sovereign Immunity, 414
 - Strict Liability, 412
 - Surface Waters - Private Development, 408
 - Surface Waters - Government Entity Liability, 414
 - Trespass, 410
- Drainage Plan, 204, 211
- Drainage Planning and Submittal, Section 200
- Drainage Planning Submittal and Review, 307
- Drainage Policy, 300
 - Introduction, 302
 - Basic Principles, 303
 - Stormwater Drainage System, 303
 - Multi-Purpose Resource, 303
 - Water Rights, 303
 - Jurisdictional Cooperation, 304

- Regional and Local Planning, 304
 - Reasonable Use of Drainage, 304
 - Increase in Rate of Flow, 305
 - Change in Manner of Flow, 305
 - Diversion of Drainage, 305
 - Regional Master Planning, 306
 - Local Master Planning, 306
 - Drainage Improvements, 306
 - Drainage Planning Submittal and Review, 307
 - Floodplain Management, 308
 - FEMA Map Revisions and Amendments, 309
 - Map Revisions, 310
 - Map Amendments, 310
 - Levee Freeboard Criteria, 311
 - Vertical Control (NGVD 29 vs. NAVD 88)
 - Stormwater Runoff Detention, 312
 - Stormwater Runoff Retention, 313
 - Water Quality, 313
 - Drainage Facilities Maintenance, 314
- Technical Criteria, 315
 - Stormwater Management Technology, 315
 - Design Storm Events, 315
 - Stormwater Runoff Determination, 316
 - Streets, 317
 - Culverts and Bridges, 319
 - Floodproofing, 320
 - Alluvial Fans, 320
- Drainage Study Information Form, 202
 - Conceptual, 202
 - Technical, 205
- Driveways (Parking Lots and), 903
- Dry Extended Detention Pond, 1512,
 - Description of Facility, 1512
 - Water Quality Benefits, 1512
 - Design Criteria, 1513
 - Maintenance, 1514

E

- Eminent Domain (Inverse Condemnation), 418
- Energy Dissipation Structures, 1110
- Energy Loss Calculations, 812
- Enforcement Responsibility (General Provisions), 102
- Erosion and Sedimentation, 1300
 - Debris Control Structures and Basins, 1302
 - Introduction, 1302
 - Debris Deflectors, 1302
 - Debris Racks, 1303

- Debris Risers, 1303
- Debris Cribs, 1303
- Debris Dams and Basins, 1304
- Sizing of Control Structures and Basins, 1304
 - Sediment Sources, 1305
 - Types of Methods for Predicting Sediment Yield, 1305
 - The Universal Soil Loss Equation, 1306
 - The Modified Universal Soil Loss Equation, 1308
 - Total Sediment Yield, 1309
- Siting of Control Structures and Basins, 1310
- Control of Erosion From Construction Activities, 1310
 - Introduction, 1310
 - References, 1311
 - Erosion, Sediment, and Debris Control Plans, 1312
 - Performance Standards, 1314
- Example Applications (6-Hour Design Storm Distribution), 505, 507
- Example: Muskingum-Cunge Routing Wave Method, 636

F

- FEMA Map Revisions and Amendments, 309
- First Flush Diversion System, 1511
 - Description of Facility, 1511
 - Water Quality Benefits, 1511
 - Design Criteria, 1511
- Flood Protection Measures (Alluvial Fan), 1405
- Floodplain Management, 308
- Floodproofing (Drainage Policy), 320
- Flow, Analysis (Uniform Critical), 708
- Flow, (Change in Manner of), 305
- Flow, (Gradually Varying), 709
- Flow, (Rapidly Varying), 710
- Flow, (Increase in Rate of), 305
- Flow, (Uniform), 707
- Fraud/Misrepresentation, 409
- Freeboard, 769, 773
- Frequency Curves (Time-Intensity/Rational Method), 505
- Frequency Maps (Rainfall Depth-Duration), 502
- Froude Number Basins (Low-USBR Type IV), 1112

G

- Gabion Drops, 1108
 - Design Criteria, 1108
- General Provisions, Section 100
 - Title, 101
- Glossary, 108
- Governmental Entity Liability (Surface Waters) 414

Graphical Peak Discharge Method (Storm Runoff), 614
Gutter Flow, 902

H

Headwater Criteria, 1004
Henderson, City of, Local Entity Criteria, 1601
Hydraulic Calculations, 1209
 Low Flow Outlets, 1209
 Minimum Conduit Size, 1210
 Flow Calculations, 1210
 Spillways, 1211
 Sizing Requirements, 1211
 Flow Calculations, 1212
Hydraulic Design, 1113
Hydraulic Evaluation, 905
Hydraulic Structures (Additional), 1100
 Introduction, 1102
 Channel Drops and Energy Dissipation Structures, 1102
 Channel Drop Structures, 1103
 Sloping Riprap Drop Structures, 1103
 Criteria, 1103
 Vertical Riprap Drop Structures, 1105
 Gabion Drops, 1108
 Design Criteria, 1108
 Straight Drop Spillways, 1110
 Baffled Aprons (USBR Type IX), 1110
 Energy Dissipation Structures, 1110
 Types of Energy Dissipation Structures, 1111
 Stilling Basins With Horizontal Sloping Aprons, 1111
 Short Stilling Basin (USBR Type III), 1112
 Low Froude Number Basins (USBR Type IV), 1112
 Impact Stilling Basin (USBR Type VI), 1112
 Hydraulic Design, 1113
 Riprap Protection, 1113
 Design Flow Rates, 1113
 Trajectory Transition Section, 1113
 Example Applications, 1114
 Example: Sloping Riprap Drop Structure, 1114
 Example: Vertical Riprap Drop Structure, 1115
 Example: Vertical Gabion Drop Structure, 1116
 Example: Impact Stilling Basin, 1118
Hydrographs, Channel Routing of (Storm Runoff), 621
 Muskingum Method, 621
 Kinematic Wave Method, 623
 Muskingum-Cunge Method, 624
Hydrographs, Reservoir Routing of, 624
 Modified Puls Method, 625

Hydrologic/Hydraulic Calculations Addendum, 212
Hydrologic Design Methods and Criteria, 1207
 inflow Hydrograph, 1207
 HEC-1 Method, 1207
 Modified Rational Method, 1207
Detention Basin Design Outflow Limitations, 1208
 Regional Facilities, 1208
 Local Facilities, 1208
Hydrologic Calculation Methods, 1208
 HEC-1 Method, 1208
 Rational Method, 1209

I

Impact Stilling Basin, (USBR Type VI), 1112
Impact Stilling Basin Example, 1118
Implementation (General Provisions), 103
Improvement Plans, 213
Immunity, 414
 Sovereign, 414
 Discretionary - NRS 41.032, 415
Industrial Permits, 215
Infiltration Basin, 1503
 Description of Facility, 1503
 Water Quality Benefits, 1504
 Design Criteria, 1504
 Maintenance, 1505
Infiltration Trench, 1506
 Description of Facility, 1506
 Water Quality Benefits, 1506
 Design Criteria, 1507
 Maintenance, 1508
Inlet Control Condition, 1006
Inlet and Outlet Configuration, 1008
Inlet Losses, 815
Inlet Spacing, 817
Inspect (Failure to - NRS 41.033), 416
Interpretation (General Provisions), 102
Inverse Condemnation (Eminent Domain), 418

J

Junction and Manhole Losses, 814
Jurisdiction (General Provisions), 101
Jurisdictional Cooperation, 304

K

- Kinematic Wave Method (Storm Runoff), 620
 - Basic Concepts, 620
 - Solution Procedure, 620
 - Statistical Analysis - Example: Kinematic Wave Method, 634

L

- Landscaped Areas, 905
- Letter Contents (Conceptual Drainage Study), 203
- Levee Freeboard Criteria, 311
- Liability, 412
 - Strict, 412
 - Governmental Entity Liability - Surface Waters, 414
- Limitation of Tort Damage Awards, 417
- Limitations on Methodology (Storm Runoff), 616
- Local Detention, 1204
- Local Entity Criteria, 1600
 - City of Henderson, 1601
 - City of Las Vegas, 1605
 - City of North Las Vegas, 1608
 - Clark County Public Works, County Policies, 1610
- Local Facilities (Definition of), 1202
- Local Major Detention, 1205
- Local Major Facilities, 1202
- Local Minor Detention, 1205
- Local Minor Facilities, 1205
- Local Minor Retention, 1205
- Local Master Planning, 306
- Local Scour, 723

M

- Maintenance Access Road, 779
- Manholes, 810
- MANUAL, 101
 - Purpose, 101
 - Development, 103
 - Updates, 103
 - Adoption, 104
 - Studies, Reconciliation of Pre- and Post, 104
- Map Amendments, 310
- Map Revisions, 310
- Master Drainage Study, 216
- Maximum Permissible Velocities, 711
- McCarran Airport Rainfall Area Rainfall Data, 506
- Methodology (Storm Runoff), 610, 614

Modified Rational Formula Method, 610
Multi-Purpose Resource, 303
Muskingum-Cunge Routing Wave Method, 636

N

Natural Encroached Channels, 713
Natural Unencroached Channels, 712
Natural Channel Systems, 714
Natural Channel Morphology and Response, 715
Negligence (Drainage Law), 408
Nevada Department of Transportation Criteria, 215
Nevada Drainage Law, 403
NGVD 29 vs. NAVD 88 (Vertical Control), 311
NOAA Atlas 2 (Adjustments to), 504
North Las Vegas, City of (Local Entity Criteria), 1608
NPDES Permits, 214
NRS 41.032 - Discretionary Immunity 415
NRS 41.033 - Failure to Inspect, 416
Nuisance (Drainage Law), 411

O

Open Channels, 700
Outlet Configuration (Inlet and), 1008
Outlet Control Condition, 1006
Outlet Losses, 815
Outlet Protection, 782

P

Parcel Map Studies, 205
Parking Lots and Driveways, 903
Partially Lined Channels, 713
Pavement Deterioration, 904
Peninsula Development, 1404
Permits, 214
 NPDES, 214
 Construction, 215
 Industrial, 215
Pipe, 809
 Size, 809
 Material and Shape, 809
 Joint Sealants and Gaskets, 810
Pipe Form Losses, 813
 Expansion Losses, 8 13
 Contract ion Losses, 8 13
Pipe Friction Losses, 812

Ponding (Temporary) 903
Porous Pavement, 1508
 Description of Facility, 1508
 Water Quality Benefits, 1508
 Design Criteria, 1509
 Maintenance, 1510
Precipitation Losses (Storm Runoff), 607
 Introduction, 607
Private Development (Surface Waters), 408
Punitive Damages, 412
Purpose, (General Provisions), 101

Q

R

Rainfall, 500
 Introduction, 502
 Rainfall Depth-Duration-Frequency Relations, 502
 Rainfall Depth-Duration-Frequency Maps, 502
 Rainfall Depths for Durations From 1- to 6- Hours, 503
 Adjustments to NOAA Atlas 2, 504
 Depth-Area Reduction Factors, 504
 Design Storms, 505
 General, 505
 6-Hour Design Storm Distribution, 505
 Time-Intensity-Frequency Curves for Rational Method, 505
 General, 505
 Time-Intensity-Frequency Curves, 506
 Rainfall Data for McCarran Airport Rainfall Area, 506
 General, 506
 Rainfall Depth-Duration-Frequency, 506
 Time-Intensity-Frequency Data, 506
 Example Applications
 Introduction, 506
 Example: 6-Hour Design Storm Distribution, 507
 Example: Time-Intensity-Frequency Curves, 508
Rainfall Intensity (Storm Runoff), 610
Rational Method (Time-Intensity Frequency Curves for), 505
Rational Formula Method (Modified), 610
 Application of the Modified Rational Formula Method, 612
 Assumptions (Storm Runoff), 610, 617
 Limitations of Methodology (Storm Runoff), 611
 Major Storm Analysis, 612
 Methodology (Storm Runoff), 610
 Statistical Analysis - Example: Modified Rational Formula Method, 629
Reasonable Use of Drainage, 304
Reasonable Use Rule, 403,405

References, (See References Section)
Regional and Local Planning, 304
Regional Detention, 1203
Regional Facilities (Definition of), 1202
Regional Master Planning, 306
Reservoir Routing of Hydrographs, (Storm Runoff) 624
 Modified Puls Method, 625
Review and Approval (General Provisions), 103
Riprap Protection, 1113
Runoff Coefficient (Storm Runoff), 612
Rule, 404
 Civil Law, 402, 404
 Reasonable Use, 403,405

S

Safety Requirements, 781
SCS Curve Number Method (Storm Runoff), 608
SCS TR-55 Method (Storm Runoff), 613
 Basin/Subbasin Sizing, 616
 Graphical Peak Discharge Method, 614
 Limitations on Methodology, 616
 Methodology, 614
 Tabular Hydrograph Method, 615
SCS Unit Hydrograph Method (Storm Runoff), 617
 Assumptions, 617
 Lag Time, 618
 Methodology, 617
 Roughness Factor, 619
 Subbasin Sizing, 619
 Statistical Analysis - Example: SCS Unit Hydrograph Method, 629
 Statistical Analysis - Example: SCS TR-55 Graphical Peak Flow Method, 632
 Unit Storm Duration, 619
Sheet Flow, 902
Sloping Riprap Drop Structures, 1103
Sovereign Immunity, 414
Scour, 718
 Bend, 718
 Contraction, 720
 Local, 723
 Total, 730
 Below Channel Drops, 730
Sedimentation, 1212
Sedimentation and Debris, 904, 1212
Sediment Supply (Upstream Reach), 732
Slope (Open Channels), 715
Slug Flow, 774
Spillways, (Straight Drop), 1110

Spiral Transition Curves, 772

Standard Forms (See Standard Forms Section)

Standard Form 1 - Drainage Study Information Form

Standard Form 2 - Drainage Submittal Checklist

Standard Form 3 - Precipitation Depth Versus Return Period

Standard Form 4 - Time of Concentration and HEC-1 Input

Standard Form 5 - Tabular Hydrograph Discharge Summary

Standard Form 6 - Storm Sewer Hydraulic Calculations

Standard Form 7 - Culvert Rating

Statistical Analysis (Storm Runoff), 625

Example Applications, 627

Example: Time of Concentration (Urban), 627

Example: Modified Rational Formula Method, 629

Example: SCS Unit Hydrograph Method, 629

Example: SCS TR-55 Graphical Peak Flow Method, 632

Example: Kinematic Wave Method, 634

Stilling Basins With Horizontal Sloping Aprons, 1111

Storm Duration, 903

Storm Events (Design), 315

Storm Runoff (600)

Introduction (Storm Runoff), 603

Basin Characteristics, 603

Time of Concentration, 603

Urbanized Basins, 605

Precipitation Losses, 607

Introduction, 607

SCS Curve Number Method, 608

CN Determination, 609

Modified Rational Formula Method, 610

Methodology, 610

Assumptions, 610

Limitations on Methodology, 611

Rainfall Intensity, 611

Runoff Coefficient, 612

Application of the Modified Rational Formula Method, 612

Major Storm Analysis, 612

SCS TR-55 Method, 613

Methodology, 614

Graphical Peak Discharge Method, 614

Tabular Hydrograph Method, 615

Limitations on Methodology, 616

Basin/Subbasin Sizing, 616

SCS Unit Hydrograph Method, 617

Methodology, 617

Assumptions, 617

Lag Time, 618

Roughness Factor, 619

- Unit Storm Duration, 619
- Subbasin Sizing, 619
- Kinematic Wave Method, 620
 - Basic Concepts, 620
 - Solution Procedure, 620
- Channel Routing of Hydrographs, 621
 - Muskingum Method, 621
 - Kinematic Wave Method, 623
 - Muskingum-Cunge Method, 624
- Reservoir Routing of Hydrographs, 624
 - Modified Puls Method, 625
- Statistical Analysis, 625
- Example Applications, 627
 - Example: Time of Concentration (Urban), 627
 - Example: Modified Rational Formula Method, 629
 - Example: SCS Unit Hydrograph Method, 629
 - Example: SCS TR-55 Graphical Peak Flow Method, 632
 - Example: Kinematic Wave Method, 634
 - Example: Muskingum-Cunge Routing Wave Method, 636
- Storm Sewer Systems, 800
 - Introduction, 803
 - Design Parameters, 804
 - Allowable Storm Sewer Capacity, 804
 - Allowable Storm Sewer Velocity, 804
 - Manning's Roughness Coefficient, 805
 - Storm Sewer Layout, 805
 - Vertical Alignment, 805
 - Minimum and Maximum, Cover, 805
 - Manhole and Junction Spacing, 806
 - Horizontal Alignment, 806
 - Utility Clearances, 806
 - Water Mains, 807
 - Sewer Mains, 807
 - Allowable Storm Inlet Types and Capacity Factors, 807
 - Other Closed Conduit Criteria, 808
 - Angle of Confluence, 808
 - Connector Pipe and Depth Calculation, 808
 - Construction Standards, 809
 - Pipe, 809
 - Size, 809
 - Material and Shape, 809
 - Joint Sealants and Gaskets, 810
 - Manholes, 810
 - Storm Sewer Inlets, 810
 - Storm Sewer Outlets, 810

- Storm Sewer Hydraulics, 811
 - Hydraulic Analysis, 811
 - Pressure Flow Analysis, 811
 - Partial Full Flow Analysis, 812
- Energy Loss Calculations, 812
 - Pipe Friction Losses, 812
 - Pipe Form Losses, 813
 - Expansion Losses, 8 13
 - Contraction Losses, 8 13
 - Bend Losses, 814
 - Junction and Manhole Losses, 814
 - Inlet Losses, 815
 - Outlet Losses, 815
- Storm Inlet Hydraulics, 815
 - inlets on Continuous Grade, 816
 - Inlets in a Sump Condition, 817
 - Inlet Spacing, 817
- Storm Sewer System Design, 817
 - Initial Storm Sewer Sizing, 818
 - Final Storm Sewer Sizing, 818
- Example Application, 819
 - Introduction, 819
 - Example: Storm Sewer Hydraulic Analysis, 819
 - Example: Grate Inlet Hydraulic Analysis, 823
- Stormwater Drainage System, 303
- Stormwater Management Technology, 315
- Stormwater Runoff Detention, 312
- Stormwater Runoff Retention, 313
- Stormwater Runoff Determination, 316
- Stormwater Runoff/Multi-Purpose Resource, 303
- Streets, 900
 - Introduction, 901
 - Function of Streets in the Drainage System, 901
 - Drainage Impacts on Streets, 901
 - Sheet Flow, 902
 - Gutter Flow, 902
 - Storm Duration, 903
 - Temporary Ponding, 903
 - Cross Flow, 903
 - Parking Lots and Driveways, 903
 - Drainage Impact on Street Maintenance, 904
 - Pavement Deterioration, 904
 - Sedimentation and Debris, 904
 - Landscaped Areas, 905
 - Street Classification and Allowable Flow Depth, 905
 - Hydraulic Evaluation, 905

- Example Application, 906
 - Introduction, 906
 - Example: Allowable Flow in 100 Foot ROW Street, 906
- Submittal and Review Process (Drainage Planning and Submittal), 201
- Study Contents, (Conceptual Drainage), 202
- Study Contents, (Technical Drainage), 205
- Study Contents, (Master Drainage), 216
- Structural Best Management Practices, 1500
 - Introduction, 1502
 - Infiltration Basin, 1503
 - Description of Facility, 1503
 - Water Quality Benefits, 1504
 - Design Criteria, 1504
 - Maintenance, 1505
 - Infiltration Trench, 1506
 - Description of Facility, 1506
 - Water Quality Benefits, 1506
 - Design Criteria, 1507
 - Maintenance, 1508
 - Porous Pavement, 1508
 - Description of Facility, 1508
 - Water Quality Benefits, 1508
 - Design Criteria, 1509
 - Maintenance, 1510
 - First Flush Diversion System, 1511
 - Description of Facility, 1511
 - Water Quality Benefits, 1511
 - Design Criteria, 1511
 - Maintenance, 1511
 - Dry Extended Detention Pond, 1512
 - Description of Facility, 1512
 - Water Quality Benefits, 1512
 - Design Criteria, 15 13
 - Maintenance, 1514
 - Vegetated Swale, 1514
 - Description of Facility, 1514
 - Water Quality Benefits, 1514
 - Design Criteria, 1515
 - Maintenance, 1516
 - Water Quality Inlet, 1516
 - Description of Facility, 1516
 - Water Quality Benefits, 1516
 - Design Criteria, 1517
 - Maintenance, 1518
- Surface Waters, 408
 - Private Development, 408
 - Governmental Entity Liability, 414

T

Tabular Hydrograph Method (Storm Runoff), 615
Technical Criteria (Drainage Policy), 315
Technical Drainage Study (Study Contents), 205
Time-Intensity-Frequency Curves (Rational Method), 505
Time-Intensity-Frequency Data, 506
Time of Concentration (Storm Runoff), 603
 Statistical Analysis - Example: Time of Concentration (Urban), 627
Title (General Provisions), 101
Tort Damage Awards (Limitation of), 417
Trajectory Transition Section, 1113
Trash Rack, 1212
Trespass (Drainage Law) 410

U

Underdrain and Weepholes, 761
Uniform Critical Flow Analysis, 708
Uniform Flow (Open Channels), 707
Unit Storm Duration, 619
Urbanized Basins, 605
USEPA Regulations, 1214

V

Variance Procedures (General Provisions), 102
Vegetated Swale, 1514
 Description of Facility, 1515
 Water Quality Benefits, 1514
 Design Criteria, 1515
 Maintenance, 1516
Velocities, (Maximum Permissible), 711
Velocity Limitation and Outlet Protection, 1003
Vertical Control (NGVD 29 vs. NAVD 88), 311
Vertical Riprap Drop Structure, 1105
Vertical Riprap Drop Structure Example, 1115
Vertical Gabion Drop Structure Example, 1116

W

Warranty (Breach of Express/Implied) 409
Water, Historical Evolution of Surface Water (Drainage Law), 401
Water Rights, 303
Water Quality, 313, 1214

Water Quality Inlet, 1516
 Description of Facility, 1516
 Water Quality Benefits, 1516
 Design Criteria, 15 17
 Maintenance, 1518

X

Y

Z